

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method in a data processing system, for code reusability and maintainability, the method comprising:
 - providing a utility class in a server, wherein the utility class defines a utility method, the utility method being written in an object oriented programming language;
 - receiving a markup language request at the server for an entity from a client, the markup language request including a response object name;
 - responsive to receiving ~~[[a]]~~ the markup language request at the server for ~~[[an]]~~ the entity from ~~[[a]]~~ the client, generating a method call for the utility method, wherein the method call identifies the entity and ~~[[a]]~~ the response object name;
 - generating a markup language response object and assigning the response object name to the markup language response object; and
 - returning the markup language response object to the client.
2. (Canceled)
3. (Currently Amended) The method of claim 1, wherein the markup language request is an extensible markup language request.
4. (Original) The method of claim 3, wherein the extensible markup language request is one of a list request and a get request.
5. (Currently Amended) The method of claim 1, further comprising:
 - retrieving, by the utility method, at least one data item for the method call and the entity, wherein the markup language response object includes the at least one data item.
6. (Original) The method of claim 5, wherein the step of retrieving at least one data item includes retrieving the at least one data item from a database.

7. (Original) The method of claim 6, wherein the at least one data item is retrieved from the database through a structured query language interface.
8. (Currently Amended) The method of claim 5, wherein the markup language request includes a list of attributes.
9. (Original) The method of claim 8, wherein the at least one data item includes a set of attributes for the entity, wherein the set of attributes corresponds to the list of attributes.
10. (Original) The method of claim 9, wherein the list of attributes is an empty string.
11. (Original) The method of claim 10, wherein the set of attributes includes all attributes for the entity.
12. (Currently Amended) The method of claim 1, wherein the markup language response object is an extensible markup language document.
13. (Currently Amended) ~~An apparatus, in a~~ A data processing system[[,]] for code reusability and maintainability, the ~~apparatus~~ data processing system comprising:
 - a bus;
 - a communications unit connected to the bus;
 - a storage device connected to the bus, wherein the storage device includes computer usable program code; and
 - a processor unit connected to the bus, wherein the processor unit executes the computer usable program code to;
 - provide a utility class, wherein the utility class defines a utility method, the utility method being written in an object oriented programming language;
 - receive a markup language request at the server for an entity from a client, the markup language request including a response object name;
 - ~~a program interface, wherein the program interface, responsive to receiving [[a]] the markup language request for attributes for [[an]] the entity from [[a]] the client, generates~~ generate a method call for the utility method, wherein the method call identifies the entity and [[a]] the response object name;
 - ~~wherein the program interface generates~~ generate a markup language response object and assigns assign the response object name to the markup language response object; and

~~wherein the program interface returns~~ return the markup language response object to the client.

14. (Currently Amended) The ~~apparatus~~ data processing system of claim 13, wherein the client includes an extensible markup language interface and wherein the markup language request is an extensible markup language request.
15. (Currently Amended) The ~~apparatus~~ data processing system of claim 13, wherein the utility method retrieves at least one data item for the method call and the entity and wherein the markup language response object include the at least one data item.
16. (Currently Amended) The ~~apparatus~~ data processing system of claim 15, wherein the utility method retrieves the at least one data item from a database.
17. (Currently Amended) The ~~apparatus~~ data processing system of claim 15, wherein the markup language request includes a list of attributes.
18. (Currently Amended) The ~~apparatus~~ data processing system of claim 17, wherein the at least one data item includes a set of attributes for the entity, wherein the set of attributes corresponds to the list of attributes.
19. (Currently Amended) The ~~apparatus~~ data processing system of claim 18, wherein the list of attributes is an empty string.
20. (Currently Amended) The ~~apparatus~~ data processing system of claim 19, wherein the set of attributes includes all attributes for the entity.
21. (Currently Amended) The ~~apparatus~~ data processing system of claim 13, wherein the markup language response object is an extensible markup language document.
22. (Currently Amended) A computer program product, in a computer readable physical storage medium, for code reusability and maintainability, the computer program product comprising:
instructions, in a utility class, for defining a utility method, the utility method being written in an object oriented programming language;

instructions for receiving a markup language request at the server for an entity from a client, the markup language request including a response object name;

instructions, responsive to receiving [[a]] the markup language request at [[a]] the server for attributes for [[an]] the entity from [[a]] the client, for generating a method call for the utility method, wherein the method call identifies the entity and [[a]] the response object name;

instructions for generating a markup language response object and assigning the response object name to the markup language response object; and

instructions for returning the markup language response object to the client.

23. (Previously Presented) The method of claim 1, wherein the server is located at a first computer system, wherein the client is located at a second computer system, and wherein the first computer system is separate from the second computer system.